	Application No.	Applicant(s)	
Notice of Allowability	09/691,076	YOUNG ET AL.	
	Examiner	Art Unit	
	James H. Blackwell	2176	
The MAILING DATE of this communication apportunity and the second sec	(OR REMAINS) CLOSED in or other appropriate commu IGHTS. This application is so	this application. If not include nication will be mailed in due	ded e course. THIS
1. This communication is responsive to <u>amendment filed 12/</u>	<u>12/2005</u> .		
2. X The allowed claim(s) is/are 5-10 and 14-35.			
 Acknowledgment is made of a claim for foreign priority una. All b) Some* c) None of the: Certified copies of the priority documents have Certified copies of the priority documents have Copies of the certified copies of the priority do International Bureau (PCT Rule 17.2(a)). 	e been received. e been received in Application	n No	ation from the
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		a reply complying with the re	equirements
4. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give			NOTICE OF
 CORRECTED DRAWINGS (as "replacement sheets") must (a) including changes required by the Notice of Draftspers 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner' Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in the company of the co	son's Patent Drawing Review s Amendment / Comment or 84(c)) should be written on the header according to 37 CFI self of BIOLOGICAL MATE	in the Office action of e drawings in the front (not th R 1.121(d). ERIAL must be submitted.	
attached Examiner's comment regarding REQUIREMENT	FOR THE DEPOSIT OF BIO	LOGICAL MATERIAL.	
Attachment(s) 1. Notice of References Cited (PTO-892) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 3. Information Disclosure Statements (PTO-1449 or PTO/SB/C Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ⊠ Interview Su Paper No./I 08), 7. ⊠ Examiner's /	formal Patent Application (PT Immary (PTO-413), Mail Date <u>02/14/06</u> . Amendment/Comment Statement of Reasons for All WILLIAM BASHOR	lowance Lac É
		PRIMARY EXAMINE	

Application/Control Number: 09/691,076 Page 2

Art Unit: 2176

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

- 2. Authorization for this examiner's amendment was given in a telephone interview with Jeffrey S. Weaver on 02/15/2006.
- 3. The Claims have been amended as follows: Please cancel claims 36-44.

Conclusion

- 4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to James H. Blackwell whose telephone number is 571-272-4089. The examiner can normally be reached on Mon-Fri.
- 5. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Heather R. Herndon can be reached on 571-272-4136. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 09/691,076 Page 3

Art Unit: 2176

6. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

James H. Blackwell 02/27/2006

WILLIAM BASHORE
PRIMARY EXAMINER

121/2006